
1995 C a m a r o



# 1995 Specifications and Dimensions

DIMENSIONS ARE IN INCHES UNLESS OTHI	ERWISE SPECIFIED.
General	
Wheelbase:	101.1
Overall length:	193.2
Overall width:	74.1
Overall height:	51.3
Tread Front:	60.7
Tread Rear:	60.6
Front Compartment	
Head room:	37.2
Shoulder Room:	57.4
Hip Room:	52.8
Leg Room: (Maximum)	43.0
REAR COMPARIMENT	
Head Room:	35.3
Shoulder Room:	55.8
Hip Room:	44.4
Leg Room: (Minimum)	26.8
LUGGAGE COMPARIMENT CAPACITY	
Cargo Volume (seat down)	32.8
Cargo Volume (seat up)	12.9
FULL TANK CAPACITY	
(gal.)	15.5
AFRODYNAMICS	
Coefficient of drag	.338
FPA FULL ECONOMY RATINGS	City/Highway

EPA FUEL ECONOMY RATINGS	City/highway
5.7L Engine (6 speed)	17/26
5.7L Engine (Automatic)	17/24
Projected EDA label values, actual mileage will	vary with options

Projected EPA label values, actual mileage will vary with options, driving conditions, driving habits and vehicle's condition.

ALHERNATOR	
Type:	Delco CS-144
Amps	140
Amps @ idle	50

#### FEATURES:

- · Sealed High Capacity Bearings
- Transient Voltage Spike Protection
- Low Power Consumption
- Vehicle Low Voltage Idle Boost Compatible
- Load Response Control
- Reduced RFI

Engine	Opt.
Type:	V8
Displacement: Liters (cu. in.)	5.7 (350)
Horsepower/RPM:	275 @ 5000
Torque/RPM:	325 @ 2400
Induction System:	SFI
Compression Ratio:	10.5:1
Exhaust:	Dual Outlets
Transmission	
Manual with overdrive	6-speed
Automatic electronic with over-	drive 4-speed
Brakes	
Dual hydraulic, power	Disc/Disc
Front: size/swept area (sq. in.)	10.9" x 1.26"/207
Rear: size/swept area (sq. in.)	11.4" x 0.8"/175
Total brake-swept area (sq. in.)	382
TIRES	
Туре:	Speed Rated
Size: ('Z' Rating)	P245/50R16
WHEELS	
Туре:	Aluminum
Size:	16 x 8
Chassis	
Frame:	Full Unitized Steel
Front Suspension:	Independent - SLA, Coil Steel Alloy Spring,
	Steel Anti-Roll Bar, Gas Charged Shocks
Rear Suspension:	Salisbury 4-Link, Coil Steel Alloy Spring,
	Steel Anti-Roll Bar, Gas Charged Shocks
Steering Type:	Power Rack & Pinion
Steering Ratio:	14.4:1
BATTERY	
Туре:	Delco Freedom
BCI Group Size:	75
Volts	12 54
AMP Hour Rating	
Cold Cranking Amps @ 0°F (-18 Reserve Capacity @ 80°F (27°C)	, e <sub>j</sub> ,
Reserve Capacity & 00 I (27 C)	

#### FEATURES:

- Maintenance-Free Design
- Built-In Hydrometer
- Reinforced Polypropylene Case
- Built-In Flame Arrester
- Side Mounted Terminals

### Camaro 2 Door Hatchback

### Standard Equipment Summary:

- Belt Accessory Drive, Single Serpentine
- Brake System, 4-Wheel Anti-Lock
- Brake-Transmission Shift Interlock (Auto Trans Only)
- Brakes, Power, Front Disc and Rear Drum (Base Only)
- Bumpers, Energy-Absorbing Front and Rear 5-MPH with Body-Color Fascias
- Defoggers, Side Window
- Exhaust System, Stainless Steel
- Glass, Tinted, Solar-Ray
- Headlamps, Miniquad Halogen
- Mirrors, Body Colored, Dual Sport (L.H. Remote, R.H. Manual)
- Paint, 2 Component Clear-Coat
- Shocks, Monotube, Gas Charged, Front and Rear
- Spoiler, Integral, Rear
- Stabilizer Bars, Front and Rear
- Steering, Power, Rack & Pinion
- Suspension, Firm Ride and Handling
- Suspension System, 4-Wheel Coil Spring with Computer Selected Springs
- Suspension System, deCarbon Front, Short-Long Arm (SLA)
- Theft Deterrent System, PASS-Key II
- Tire, Compact Spare, High Pressure
- Tires, P215/60R16 B/W
- Transmission, 5-Speed Manual
- Wheels, Silver, 16" Steel with Bolt-On Wheel Covers
- Wipers, Intermittent

- Air Bag System, (Driver and Passenger)
- Carpeting, Full, Includes Cargo Area
- Closeout Panel for Cargo Compartment Area
- Console, Center, w/Cup Holder and Lighted Storage Compartment
- Fabric Protector, Scotchgard (incls. Seats, Door Trim, Floor Mats and Floor Carpeting
- Floor Mats, Front, Carpeted
- Gage Package w/Tach.
- Indicator System, Low Oil Level
- Lamp, Dome (Coupe Only)
- Mirror, Day/Night Rearview w/ Dual Reading/ Courtesy Lamps
- Radio, Electronically Tuned AM/FM Stereo w/ Seek-Scan, Digital Clock, Stereo Cassette Tape, Search, Repeat, Extended Range Speakers
- Reminder, Headlamps-on
- Seat Adjuster, Manual, Driver's Side 4-Way
- Seat, Rear, Full Folding Back
- Seats, Cloth Reclining Bucket w/Integral Head Restraints
- Speedometer 115 MP
- Steering Wheel, Tilt-Wheel
- Storage Compartment in Doors
- Visor Mirrors, Covered, L.H. and R.H. with Storage Straps.
- Warning Light, Check Gages

# Special Service Package

To order Camaro Special Service Package, model 1FP87 and base equipment group 1SAX plus B4C must be ordered. Additional options may be added.

### **B4C Standard Features Include:**

The following equipment is in addition to or replacing items included in the standard equipment summary.

- 5.7 Liter engine
- 6 Speed manual transmission
- Dual exhaust outlets
- 16" aluminum wheels
- P245/50ZR16 BW tires (4 tires)
- Four wheel disc brakes
- Engine oil cooler
- Transmission oil cooler (automatic only)
- Alternator 140 amp (50 amps at idle)
- Speedometer to 150 mph (1 mph increments) with gauges and trip odometer
- Air conditioning
- Battery 525CCA (90 minutes reserve capacity)
- Performance suspension for ride and handling

# Powertrain Combinations

•		Engine		Tran	ISMISSION	A	KLE
OPTION	Түре	DISPLACEMENT LITERS/Cu. In.	FUEL SYSTEM	Code	Түре	OPTION	Ratio
LT1	V8	5.7/350 ·	Sequential Fuel Injection	MN6	MM6 6-Speed Manual, w/OD	GU6	3.42 Limited Slip
LT1	V8	5.7/350	Sequential Fuel Injection	МХО	4L60E 4-Speed Auto, w/OD (Optional)	GU5	3.23 Limited Slip

## **Seats**

Interior Trim Color		Graphite	Med. Beige	Med. Gray	*Flame Red	
Model	SEAT TYPE	SEAT OPTION	COLOR CODE			
	Cloth Bucket	AR9	12BX	64BX	14BX	73BX
IFP87	Leather Seating Surface Bucket	AR9	122X	642X	N/A	N/A

<sup>\*</sup> Flame Red on Door Trim and Seat Inserts only with Graphite Accents.

ACCELERATION SLIP REGULATION

Note: Seat Option and Color Code Must be Specified

# **Available Options:**

AIR CONDITIONING- (Included in B4C Package)
DEFOGGER- Electric, rear window. If rear defogger not desired, order R9W
ELECTRONIC SPEED CONTROL- w/resume speed (Requires T96 fog lamps)
ENGINE BLOCK HEATER
FOG LAMPS
LICENSE PLATE BRACKET- Front
MATS- Carpeted Rear (Front standard)
MIRRORS- Twin remote electric (Requires AU3 and A31)
MOLDINGS- Body side
POWER 6- WAY DRIVER SEAT
POWER DOOR LOCK SYSTEM
POWER HATCH RELEASE- (Requires AU3)
POWER WINDOWS- (Requires AU3, and DG7)
REMOTE KEYLESS ENTRY- (Requires AU3, A31 and A90)
RADIO DELCO/BOSE MUSIC SYSTEM: Electronically tuned AM/FM stereo radio w/ seek-scan, stereo
cassette tape, w/auto reverse and digital clock (reqs C60 A/C
and includes U65 Speakers)
RADIO DELCO/BOSE MUSIC SYSTEM: Electronically tuned AM/FM stereo radio w/seek-scan,
compact disc player and digital clock and Delco Loc II (reqs C60 A/C and includes U65 Speakers)

Note: Vascar adapter not available from Chevrolet. Contact Traffic Safety Systems Inc. (Manufacturer of Vascar) at 804-353-3826 to purchase Vascar Electronic Odometer Module.