

2000

 CHEVROLET



POLICE

CAMARO 2 DOOR HATCHBACK STANDARD EQUIPMENT SUMMARY

To order Camaro Special Service Police Package, model 1FP87 and option B4C as well as ISP Preferred Equipment Group must be ordered.

Additional options may be added.

CAMARO SPECIAL SERVICE POLICE PACKAGE DENOTES VEHICLE IS PURSUIT CAPABLE BUT SPECIAL EQUIPMENT OPTIONS (e.g., SPOTLAMPS, WIRING, ETC.) ARE NOT AVAILABLE FROM MANUFACTURER.

INTERIOR FEATURES

AIR CONDITIONING	With Environmentally Friendly Refrigerant (R134A)
CLOSEOUT PANEL	Cargo Compartment Area
CONSOLE	Center, w/Cup Holders, Storage Compartment
DEFOGGERS	Side Windows
FLOOR COVERING	Carpeting, Full-Includes Cargo Area, Front and Rear Mats
GAUGES	Gauge Package with Tachometer and Digital Odometer
GLASS	Tinted, Solar-Ray
HATCH	Remote Hatch Release
LOCKS	Power Door Locks
MIRRORS	Rearview, Day/Night w/Dual Reading Lamps
OUTLET	Auxiliary Power in Console
RADIO	AM/FM Stereo w/Cassette
RESTRAINT SYSTEM	Driver and Passenger Side Air Bags
SEATS	Cloth Reclining Bucket with Integral Head Restraints and Power Seat (6-Way Driver)
SPEAKER SYSTEM	Extended Range Speakers
SPEED CONTROL	Electronic w/Resume Speed
SPEEDOMETER	155 MPH
STEERING WHEEL	Comfortilt with 4 Spoke Sport Steering Wheel
STORAGE BIN	Compartment in Doors
VISORS	Covered Mirror LH & RH (with Storage Straps)
WARNING LIGHTS	Check Gauges, Low Coolant Level, Low Oil Level, Low Fuel, Hatch/Decklid Ajar Light
WARNING TONE	Headlamps-On
WINDOWS	Power Windows w/Driver Side Express Down Feature

CAMARO 2 DOOR HATCHBACK

STANDARD EQUIPMENT SUMMARY

EXTERIOR FEATURES

BUMPERS	Energy-Absorbing Front and Rear 5 MPH w/Body Color Fascias
HEADLAMPS	Composite with Reflector Optics and Automatic Control
LIGHTS	Automatic Daytime Running Lamps
MIRRORS	Mirror Sport, Twin Remote Electric
PAINT	2 Component Clear-Coat
PASS KEY II	Theft Deterrent System
SPOILER	Integral Rear
WIPERS	Variable Delay

CHASSIS FEATURES

AXLE	Zexel-Torsen™ Limited Slip Rear Differential
BATTERY	Rundown Protection
BELT	Accessory Drive, Single Serpentine
BRAKES	4-Wheel Anti-Lock Disc Power Front and Rear Brake/Transmission Shift Interlock (Automatic Transmission)
ENGINE	5.7 Liter LS1 Corvette Inspired Aluminum Block GenIII V8
EXHAUST	Stainless Steel
FUEL TANK	16.8 Gallon Capacity
SHOCKS	Monotube, Gas Charged (Front/Rear)
SPARK PLUGS	Platinum Tip
STABILIZER BAR	Front and Rear
STEERING	Power Rack and Pinion
SUSPENSION	Performance Ride and Handling, Short/Long Arm (SLA) Front, Torque Arm/Track Bar Rear, 4-Wheel Coil Spring w/Computer-Selected Springs
TRANSMISSION	4-Speed Electronically Controlled Automatic
TIRES	P245/50ZR16 BW All Season Performance with Compact Spare (16")
WHEELS	16" Aluminum Wheels

CAMARO SPECIAL SERVICE POLICE PACKAGE

AVAILABLE OPTIONS

DESCRIPTION

NW9 ACCELERATION SLIP REGULATION (Traction Control)

VK3 BRACKET - License Plate, Front

DEFOGGER - (MUST SPECIFY)

C49 REAR WINDOW - Electric

R9W REAR WINDOW DEFOGGER - Not Desired

EMISSIONS - (MUST SPECIFY)

YF5 CALIFORNIA EMISSIONS

FE9 FEDERAL EMISSION REQUIREMENTS

NG1 NORTHEAST STATES EMISSIONS

K05 ENGINE BLOCK HEATER

UL0 ELECTRONICALLY TUNED AM/FM STEREO RADIO - Monsoon™ 200 Watt Premium Sound System, AM/FM Stereo ETR Radio and Cassette w/Seek-Scan, Digital Clock, Theft Lock, Speed Compensated Volume, 8 Speakers and Auxiliary Amplifier

UN0 ELECTRONICALLY TUNED AM/FM STEREO RADIO - Monsoon™ 200 Watt Premium Sound System, AM/FM Stereo ETR Radio and CD w/Seek-Scan, Digital Clock, Theft Lock, Speed Compensated Volume, 8 Speakers and Auxiliary Amplifier

U1S 12 DISC CD CHANGER - Requires UL0 Radio

B84 MOLDINGS - Body Side, Color-Keyed

AU0 REMOTE KEYLESS ENTRY - w/Illuminated Interior Feature Includes Theft Deterrent Alarm System

UK3 STEERING WHEEL - Leather Wrapped w/Redundant Radio Controls (Requires UL0 or UN0 Radio), Includes Leather Wrapped Transmission Shifter and Parking Brake Release Handle

MN6 6-SPEED MANUAL - (Includes Performance Axle)

N98 16" CHROME ALUMINUM

POWERTRAIN COMBINATIONS

ENGINE				TRANSMISSION		AXLE	
OPTION	TYPE	DISPLACEMENT LITERS/CU. IN.	FUEL SYSTEM	CODE	TYPE	OPTION	RATIO
LS1	V8	5.7/350	Sequential Fuel Injection	MX0	4L60E 4-Speed, Auto w/OD (Standard)	GU5	3.23 Limited Slip
LS1	V8	5.7/350	Sequential Fuel Injection	MN6	6-Speed Manual, w/OD (Optional)	GU6	3.42 Limited Slip

- NOTE:
- B4C Special Service Package is only available with Federal Emissions (FE9).
 - Coolant hoses are EPDM (Ethylene-Propylene-Diene) rubber; silicone hoses are not available.
 - Electronically controlled transmission provides protection against over-revving the engine in low range gear and a mechanical low gear blockout is not required. If a driver manually selects LOW range and fails to manually upshift to HIGH range, the Powertrain Control Module automatically protects the drivetrain.

SEATS, INTERIOR TRIM COLORS

NOTE: The interior trim combinations shown below are the only combinations available.

	EBONY	NEUTRAL	EBONY ACCENT	MED. GRAY
Cloth Bucket	19B	—	(a)73B	92B
Leather Bucket	192	522	—	—

(a) Red accent on door trim & seat inserts only, with dark gray accents.

2000 CAMARO SPECIFICATIONS

Dimensions are in inches unless otherwise specified.

GENERAL

Model	2 Door
Drive	2 Wheel Rear

EXTERIOR

Wheelbase	101.1
Overall Length	193.5
Overall Width	74.1
Overall Height	51.2
Tread Front	60.7
Tread Rear	60.6

FRONT COMPARTMENT

Head Room	37.2
Shoulder Room	57.4
Hip Room	53.5
Leg Room	43.0

REAR COMPARTMENT

Head Room	35.3
Shoulder Room	55.8
Hip Room	44.4
Leg Room (minimum)	26.8

LUGGAGE COMPARTMENT CAPACITY (cu.ft.)

Cargo Volume (seat down)	32.8
Cargo Volume Behind 2nd Seat (seat up)	12.9

FUEL TANK CAPACITY

Gallons	16.8
---------	------

EPA FUEL ECONOMY RATINGS CITY/HIGHWAY

5.7L Engine (6-Speed)	18/27
5.7L Engine (Automatic)	17/25

EPA label values, actual mileage will vary with options, driving conditions, driving habits and vehicle condition.

ALTERNATOR

Type	CS-130
Amps	105
Amps @ Idle	46

Features:

- Sealed High Capacity Bearings
- Transient Voltage Spike Protection
- Vehicle Low Voltage Idle Boost Compatible
- Load Response Control
- Reduce RFI

ENGINE

Type	(LS1) V8
Displacement Liters (cu. in.)	5.7 (350)
Horsepower/RPM	305 @ 5200
Torque/RPM	335 @ 4000
Fuel System	SFI
Compression Ratio	10.1:1
Exhaust	Dual Outlets

TRANSMISSION

Manual with Overdrive	6-speed
Automatic Electronic with Overdrive	4-speed

AXLE

Ratio-Manual 6 speed	3.42
Ratio-Automatic 4 speed	3.23

BRAKES

Dual Hydraulic, Power System	Disc/Disc
Front Disc Diameter/Front Area	11.9" x 1.27"/238.6
Rear Disc Diameter/Rear Area	12.0" x 1.02"/169.0
Total Break Swept Area (sq. in.)	407.6

TIRES

Type	"Z" Speed Rated
Size	P245/50ZR16

WHEELS

Type (with bolt on center cap)	Aluminum
Size	16" x 8"

CHASSIS

Frame	Full Unitized Steel
Front Suspension	Independent-SLA, Coil Steel Alloy Spring Steel Anti-Roll Bar, Gas Charged Shocks
Rear Suspension	Salisbury 4-Link, Coil Steel Alloy Spring, Steel Anti-Roll Bar, Gas Charged Shocks
Steering Type	Power Rack & Pinion
Steering Ratio	14.4:1

BATTERY

Type	Maintenance Free
BCI Group Size	75
Volts	12
Amp Hour Rating	54
Cold Cranking Amps @ 0° F (-18 C)	525
Reserve Capacity @ 80° F (27 C)	90

Features:

- Maintenance Free Design
- Built-In Hydrometer
- Reinforced Polypropylene Case
- Built-In Flame Arrester
- Side Mounted Terminals