

1994

50
40
30
20
10
60



CAMARO

1994 Specifications and Dimensions

DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.

GENERAL	
Wheelbase:	101.1
Overall length:	193.2
Overall width:	74.1
Overall height:	51.3
Tread Front:	60.7
Tread Rear:	60.6

FRONT COMPARTMENT	
Head room:	37.2
Shoulder Room:	57.4
Hip Room:	52.8
Leg Room: (Maximum)	43.0

REAR COMPARTMENT	
Head Room:	35.3
Shoulder Room:	55.8
Hip Room:	44.4
Leg Room: (Minimum)	26.8

LUGGAGE COMPARTMENT CAPACITY	
Cargo Volume (seat down)	32.8
Cargo Volume (seat up)	12.9

FUEL TANK CAPACITY	
(gal.)	15.5

AERODYNAMICS	
Coefficient of drag	.338

EPA FUEL ECONOMY RATINGS	CITY/HIGHWAY
5.7L Engine (6 speed)	17/25
5.7L Engine (Automatic)	17/24
Projected EPA label values, actual mileage will vary with options, driving conditions, driving habits and vehicle's condition.	

ALTERNATOR	
Type:	Delco CS-144
Amps	140
Amps @ idle	50

FEATURES:

- Sealed High Capacity Bearings
- Transient Voltage Spike Protection
- Low Power Consumption
- Vehicle Low Voltage Idle Boost Compatible
- Load Response Control
- Reduced RFI

ENGINE		OPT.
Type:		V8
Displacement: Liters (cu. in.)		5.7 (350)
Horsepower/RPM:		275 @ 5000
Torque/RPM:		325 @ 2400
Induction System:		SFI
Compression Ratio:		10.5:1
Exhaust:		Dual

TRANSMISSION	
Manual with overdrive	6-speed
Automatic with overdrive	4-speed

BRAKES	
Dual hydraulic, power	Disc/Disc
Front: size/swept area (sq. in.)	10.9" x 1.26"/207
Rear: size/swept area (sq. in.)	11.4" x 0.8"/175
Total brake-swept area (sq. in.)	382

TIRES	
Type:	All Season Speed Rated
Size: ('Z' Rating)	P245/50R16

WHEELS	
Type:	Aluminum
Size:	16 x 8

CHASSIS	
Frame:	Full Unitized Steel
Front Suspension:	Independent - SLA, Coil Steel Alloy Spring, Steel Anti-Roll Bar, Gas Charged Shocks
Rear Suspension:	Salisbury 4-Link, Coil Steel Alloy Spring, Steel Anti-Roll Bar, Gas Charged Shocks
Steering Type:	Power Rack & Pinion
Steering Ratio:	14.4:1

BATTERY	
Type:	Delco Freedom
BCI Group Size:	75
Volts	12
Cold Cranking Amps @ 0°F (-18°C):	525
Reserve Capacity @ 80°F (27°C):	90

FEATURES:

- Maintenance-Free Design
- Built-In Hydrometer
- Reinforced Polypropylene Case
- Built-In Flame Arrester
- Side Mounted Terminals

Camaro 2 Door Hatchback (1FP87) Preferred Equipment Group FCAB

Standard Features Include:

- Driver's Side 4-Way Manual Seat Adjuster
- Closeout Panel For Cargo Compartment Area
- Dual Reading/Courtesy Lamps in ISRV Mirror
- Vanity Visor Mirrors, Covered, Driver and Passenger
- Tinted Glass
- Solar Control Glass
- 4-Wheel Anti Lock Brake system
- Front Disc and Rear Drum Power Brakes
- Stainless Steel Exhaust System
- Brake Transmission Shift Interlock (Automatic Only)
- Miniquad Halogen Headlamps
- PASS-Key II Theft Deterrent System
- Air Bag System, Driver and Passenger
- 3-Point Safety Belts for All Seating Positions
- Base-Coat/Clear-Coat Exterior Finish
- Black Dual Sport Mirrors (L.H. Remote, R.H.Manual)
- Intermittent Wiper System
- Full Floor Carpeting
- Carpeted Cargo Area
- Front Floor Mats
- Center Console with Cup Holder and Lighted Storage Console
- Power Rack & Pinion Steering
- 4-Wheel Coil Spring Suspension System with Computer-Selected Springs
- Short-Long Arm (SLA) Front Suspension System
- Front and Rear Stabilizer Bars
- Single Serpentine Belt Accessory Drive
- Compact High Pressure Spare Tire
- Energy-Absorbing Front and Rear Bumpers with Body-Color Fascias
- Side Window Defoggers
- Comfortilt Steering Wheel
- Scotchgard™ Fabric Protector-Seats, Door Trim, Floor Carpeting and Front Floor Mats
- Locking Glovebox, Lighted
- Integral Rear Spoiler
- Storage Compartment in Doors
- AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape with Search and Repeat and Digital Clock

Special Service Package B4C

To order Camaro Special Service Package, model 1FP87 and base equipment group FCAB plus B4C must be ordered.
Additional options may be added.

Standard Features Include:

- 5.7 Liter engine
- 6 Speed manual transmission
- Dual exhaust outlets
- 16" aluminum wheels
- P245/50ZR16 BW tires (4 tires)
- Four wheel disc brakes
- Engine oil cooler
- Transmission oil cooler (automatic only)
- Alternator 140 amp (50 amps at idle)
- Speedometer to 150 mph (1 mph increments) with gauges and trip odometer
- Air conditioning
- Battery 525CCA (90 minutes reserve capacity)
- Performance suspension for ride and handling

Powertrain Combinations

ENGINE CODE	TYPE	DISPLACEMENT LITERS/CU. IN.	ENGINE FUEL SYSTEM	TRANSMISSION		AXLE RATIO
				CODE	TYPE	
LT1	V8	5.7/350	Sequential Fuel Injection	MN6 6-speed Manual, w/OD	MM6	3.42 Limited Slip
LT1	V8	5.7/350	Sequential Fuel Injection	MXO 4-Speed Auto, w/OD (Optional)	4L60E	3.23 Limited Slip

See page 5 for engine specifications.

Seats

Interior Trim Color		Graphite	Beige	Gray	*Flame Red
MODEL		SEAT TYPE			
IFP87	Cloth Bucket	CBB2	CEE2	CQQ2	CRR2

* Seat inserts and door trim fabric are flame red, remaining interior pieces are graphite.

Available Options:

C60	AIR CONDITIONING- (Included in B4C Package)
C49	DEFOGGER- Electric, rear window
K34	ELECTRONIC SPEED CONTROL- w/resume speed (Requires T96 fog lamps)
K05	ENGINE BLOCK HEATER
T96	FOG LAMPS
VK3	LICENSE PLATE BRACKET- Front
DG7	MIRRORS- Twin remote electric (Requires AU3 and A31)
B84	MOLDINGS- Body side
AC3	POWER 6- WAY DRIVER SEAT
AU3	POWER DOOR LOCK SYSTEM
A90	POWER HATCH RELEASE- (Requires AU3)
A31	POWER WINDOWS- (Requires AU3, and DG7)
AUO	REMOTE KEYLESS ENTRY- (Requires AU3, A31 and A90)
UU8	RADIO DELCO/BOSE MUSIC SYSTEM: Electronically tuned AM/FM stereo radio w/ seek-scan, stereo cassette tape, w/auto reverse and digital clock (reqs C60 A/C and includes U82 Bose Speakers)
U1T	RADIO DELCO/BOSE MUSIC SYSTEM: Electronically tuned AM/FM stereo radio w/seek-scan, compact disc player and digital clock and Delco Loc II (reqs C60 A/C and includes U82 Bose Speakers)

Note: Vascar adapter not available from Chevrolet.

Contact Traffic Safety Systems Inc. (Manufacturer of Vascar) at 804-353-3826 to purchase Vascar Electronic Odometer Module.