

1996 chevrolet specialty vehicles

camaro

specialty vehicle



Camaro 2 Door Hatchback

Standard Equipment Summary:

Some standard equipment is deleted or replaced by special equipment when the special service package B4C is ordered.

- Engine 3.8 Liter V6 MFI HO
- Transmission-Manual 5-Speed
- Belt Accessory Drive, Single Serpentine
- Brake System, 4-Wheel Anti-Lock
- Brake-Transmission Shift Interlock (Auto Trans Only)
- Brakes, Power, Front Disc and Rear Drum
- Bumpers, Energy-Absorbing Front and Rear 5-MPH with Body-Color Fascias
- Defoggers, Side Window
- Headlamps, Miniquad Halogen
- Glass, Tinted, Solar-Ray
- Mirrors, Body Colored, Dual Sport (L.H. Remote, R.H. Manual)
- Paint, 2 Component Clear-Coat
- Shocks, Monotube, Gas Charged, Front and Rear
- Spoiler, Integral, Rear
- Stabilizer Bars, Front and Rear
- Steering, Power, Rack & Pinion
- Exhaust, Stainless Steel
- Suspension, Firm Ride and Handling 4-Wheel Coil Spring with Computer Selected Springs Front, Short-Long Arm (SLA)
- Theft Deterrent System, PASS-Key II
- Tire, Compact Spare, High Pressure
- Tires, P215/60R16 B/W
- Wheels, Silver, 16" Steel with Bolt-On Wheel Covers
- Wipers, Intermittent
- Air Bag System, (Driver and Passenger)
- Carpeting, Full, Includes Cargo Area
- Closeout Panel for Cargo Compartment Area
- Console, Center, w/Cup Holder and Lighted Storage Compartment
- Fabric Protector, Scotchgard™ (incl. Seats, Door Trim, Floor Mats and Floor Carpeting)
- Floor Mats, Front, Carpeted
- Gage Package w/Tach.
- Indicator System, Low Oil Level
- Lamp, Dome
- Mirror, Day/Night Rearview w/Dual Reading/Courtesy Lamps
- Radio, Electronically Tuned AM/FM Stereo w/ Seek-Scan, Digital Clock, Stereo Cassette Tape, Search, Repeat, Extended Range Speakers
- Reminder, Headlamps-on
- Seat, Rear, Full Folding Back
- Seats, Cloth Reclining Bucket w/Integral Head Restraints
- Speedometer 125 MPH
- Tilt Steering Wheel
- Storage Compartment in Doors
- Visor Mirrors, Covered, L.H. and R.H. with Storage Straps.
- Warning Light, Check Gages

Camaro Special Service Package

To order Camaro Special Service Package, model 1FP87 and base equipment group 1SA plus B4C must be ordered. Additional options may be added.

B4C Standard Features Include:

The following equipment is in addition to or replacing items included in the standard equipment summary.

- 5.7 Liter engine
- 6 Speed manual transmission
- Dual exhaust outlets
- 16" aluminum wheels
- P245/50ZR16 BW tires (4 tires): "Z" Speed rating
- Four wheel disc brakes
- Low coolant indicator
- Transmission oil cooler (automatic only)
- Alternator 140 amp (50 amps at idle)
- Speedometer to 150 mph (1 mph increments) with gauges and trip odometer
- Air conditioning
- Battery 525CCA (90 minutes reserve capacity)
- Performance suspension for ride and handling

Powertrain Combinations

OPTION	ENGINE			TRANSMISSION		AXLE	
	TYPE	DISPLACEMENT LITERS/CU. IN.	FUEL SYSTEM	CODE	TYPE	OPTION	RATIO
LT1	V8	5.7/350	Sequential Fuel Injection	MN6	MM6 6-Speed Manual, w/OD Auto w/OD	GU6	3.42 Limited Slip
LT1	V8	5.7/350	Sequential Fuel Injection	MX0	4L60E 4-Speed Auto, w/OD (Optional)	GU4	3.23 Limited Slip

See specifications section for powertrain information.

Camaro Seats and Options

Seats

Model	Seat Type	Seat Option	Graphite	Neutral	Med. Gray	*Flame Red
			Color Code			
IFP87	Cloth Bucket	AR9	12B	64B	14B	73B
IFP87	Leather Seating Surface Bucket	AR9	122	642	—	—

*Flame Red on Door Trim and Seat Inserts only with Graphite Accents.

Note: Seat Option and Color Code Must be Specified

Available Options:

NW9	ACCELERATION SLIP REGULATION
C60	Air Conditioning— (Included in B4C Package)
C49	Defogger— Electric, rear window. If rear defogger not desired, order R9W
K34	Electronic speed control-w/resume speed (Requires T96 fog lamps)
K05	Engine block heater
T96	Fog Lamps
VK3	License plate brackeT- Front
B35	MATS— Carpeted Rear (Front standard)
DG7	Mirrors— Twin remote electric (Requires AU3 and A31)
B84	Moldings— Body side
AG1	Power 6-way driver seat
AU3	Power door lock system
A90	Power hatch release— (Requires AU3)
A31	Power windows— (Requires AU3, and DG7)
AU0	REMOTE KEYLESS ENTRY— (Requires AU3, A31 and A90)
UU8	RADIO Delco/BosE Music System: Electronically tuned AM/FM stereo radio w/ seek-scan, stereo cassette tape, w/auto reverse and digital clock (reqs C60 A/C and includes U65 Speakers)
U1T	RADIO Delco/Bose Music System: Electronically tuned AM/FM stereo radio w/seek-scan, compact disc player and digital clock and Delco Loc II (reqs C60 A/C and includes U65 Speakers)

Note: Vascar adapter not available from Chevrolet. Contact Traffic Safety Systems Inc. (Manufacturer of Vascar) at 804-353-3826 to purchase Vascar Electronic Odometer Module.

1996 Camaro Specifications

Dimensions are in inches unless otherwise specified.

GENERAL

Wheelbase:	101.1
Overall length:	193.2
Overall width:	74.1
Overall height:	51.3
Tread Front:	60.7
Tread Rear:	60.6

FRONT COMPARTMENT

Head room:	37.2
Shoulder Room:	57.4
Hip Room:	52.8
Leg Room: (Maximum)	43.0

REAR COMPARTMENT

Head Room:	35.3
Shoulder Room:	55.8
Hip Room:	44.4
Leg Room: (Minimum)	26.8

LUGGAGE COMPARTMENT CAPACITY

Cargo Volume (seat down)	32.8
Cargo Volume (seat up)	12.9

FUEL TANK CAPACITY

(gal.)	15.5
--------	------

AERODYNAMICS

Coefficient of drag	.338
---------------------	------

EPA FUEL ECONOMY RATINGS

	CITY/HIGHWAY
5.7L Engine (6 Speed)	17/26
5.7L Engine (Automatic)	17/24

Projected EPA label values, actual mileage will vary with options, driving conditions, driving habits and vehicle's condition.

ALTERNATOR

Type:	Delco CS-144
Amps	140
Amps @ idle	50

Features:

- Sealed High Capacity Bearings
- Transient Voltage Spike Protection
- Vehicle Low Voltage Idle Boost Compatible
- Load Response Control
- Reduced RFI

ENGINE

Type:	V8
Displacement: Liters (cu. in.)	5.7 (350)
Horsepower/RPM:	280 @ 5000
Torque/RPM:	325 @ 2400
Fuel System:	SFI
Compression Ratio:	10.4:1
Exhaust:	Dual Outlets

TRANSMISSION

Manual with overdrive	6-speed
Automatic electronic with overdrive	4-speed

AXLE

Ratio-Manual 6 speed	3.42
Ratio-Automatic 4 speed	3.23

BRAKES

Dual hydraulic power	Disc/Disc
Front: size/swept area (sq. in.)	10.9" x 1.26"/207
Rear: size/swept area (sq. in.)	11.4" x 0.8"/175
Total brake-swept area (sq. in.)	382.0

TIRES

Type:	"Z" Speed Rated
Size:	P245/50R16

WHEELS

Type:	Aluminum
Size:	16 x 8

CHASSIS

Frame:	Full Unitized Steel
Front Suspension:	Independent-SLA, Coil Steel Alloy Spring, Steel Anti-Roll Bar, Gas Charged Shocks
Rear Suspension:	Salisbury 4-Link, Coil Steel Alloy Spring, Steel Anti-Roll Bar, Gas Charged Shocks
Steering Type:	Power Rack & Pinion
Steering Ratio:	14.4:1

BATTERY

Type:	Delco Freedom
BCI Group Size:	75
Volts	12
Amp Hour Rating	54
Cold Cranking Amps @ 0°F (-18°C):	525
Reserve Capacity @ 80°F (27°C):	909

Features:

- Maintenance-Free Design
- Built-In Hydrometer
- Reinforced Polypropylene Case
- Built-In Flame Arrester
- Side Mounted Terminals