

CAMARO SPECIAL SERVICE

1998



1998 CAMARO SPECIFICATIONS

Dimensions are in inches unless otherwise specified.

GENERAL

Model	2 Door
Drive	2 Wheel Rear

EXTERIOR

Wheelbase	101.1
Overall length	193.5
Overall width	74.1
Overall height	51.3
Tread Front	60.7
Tread Rear	60.6

FRONT COMPARTMENT

Head room	37.2
Shoulder Room	57.4
Hip Room	52.8
Leg Room (Maximum)	42.9

REAR COMPARTMENT

Head Room	35.3
Shoulder Room	55.8
Hip Room	44.4
Leg Room (Minimum)	26.8

LUGGAGE COMPARTMENT CAPACITY

Cargo Volume (seat down)	32.8
Cargo Volume Behind 2nd Seat (seat up)	12.9

FUEL TANK CAPACITY

(gal.)	15.5
--------	------

EPA FUEL ECONOMY RATINGS

CITY/HIGHWAY

5.7L Engine (6 Speed)	18/27
5.7L Engine (Automatic)	17/25

Projected EPA label values, actual mileage will vary with options, driving conditions, driving habits and vehicle's condition.

ALTERNATOR

Type	CS-130
Amps	105
Amps @ idle	46

Features:

- Sealed High Capacity Bearings
- Transient Voltage Spike Protection
- Vehicle Low Voltage Idle Boost Compatible
- Load Response Control
- Reduced RFI

ENGINE

Type	(LS1) V8
Displacement Liters (cu. in.)	5.7 (350)
Horsepower/RPM	305 @ 5200
Torque/RPM	335 @ 4000
Fuel System	SFI
Compression Ratio	10.1:1
Exhaust	Dual Outlets

TRANSMISSION

Manual with overdrive	6-speed
Automatic electronic with overdrive	4-speed

AXLE

Ratio-Manual 6 speed	3.42
Ratio-Automatic 4 speed	3.23

BRAKES

Dual hydraulic power	Disc/Disc
Front size/swept area (sq. in.)	11.9" x 1.27"/238.6
Rear size/swept area (sq. in.)	12.0" x 1.02"/169.0
Total break-swept area (sq. in.)	407.6

TIRES

Type	"Z" Speed Rated
Size	P245/50ZR16

WHEELS

Type (with bolt on center cap)	Aluminum
Size	16 x 8

CHASSIS

Frame	Full Unitized Steel,
Front Suspension	Independent-SLA, Coil Steel Alloy Spring Steel Anti-Roll Bar, Gas Charged Shocks
Rear Suspension	Salisbury 4-Link, Coil Steel Alloy Spring, Steel Anti-Roll Bar, Gas Charged Shocks
Steering Type	Power Rack & Pinion
Steering Ratio	14.4:1

BATTERY

Type	Maintenance Free
BCI Group Size	75
Volts	12
Amp Hour Rating	54
Cold Cranking Amps @ 0°F (-18°C)	525
Reserve Capacity @ 80°F (27°C)	90

Features:

- Maintenance-Free Design
- Built-In Hydrometer
- Reinforced Polypropylene Case
- Built-In Flame Arrester
- Side Mounted Terminals

CAMARO 2 DOOR HATCHBACK

STANDARD EQUIPMENT SUMMARY

To order Camaro Special Service Package, model 1FP87 and base equipment group 1SP plus B4C must be ordered. Additional options may be added.

CHASSIS FEATURES

AXLE	Rear Limited Slip
BATTERY	Rundown Protection
BELT	Accessory Drive, Single Serpentine
BRAKES	4-Wheel Anti-Lock Disc Power Front and Rear Brake/Transmission Shift Interlock (Automatic Transmission)
ENGINE	5.7 Liter Small Block V8
EXHAUST	Stainless Steel
FUEL TANK	15.5 Gallon Capacity
SHOCKS	Monotube, Gas Charged (Front/Rear)
SPARK PLUGS	Platinum Tip
STABILIZER BAR	Front and Rear
STEERING	Power Rack and Pinion
SUSPENSION	Performance Ride and Handling DeCarbon Front, Short-Long Arm, 4-Wheel Coil Spring w/Computer-Selected Springs
TRANSMISSION	4-Speed Automatic
TIRES	P245/50ZR16 BW All Season Performance with compact spare (16")
WHEELS	16" Aluminum Wheels

EXTERIOR FEATURES

BUMPERS	Energy-Absorbing Front and Rear 5 MPH w/Body Color Fascias
HEADLAMPS	Composite with Reflector Optics and Automatic Control
LIGHTS	Automatic Daytime Running Lamps
MIRRORS	Mirrors Sport, Twin Remote Electric
PAINT	2 Component Clear-Coat
PASS KEY II	Theft Deterrent System
ROOF	Special Black Treatment (with Black Mirrors)
SPOILER	Integral Rear
WIPERS	Intermittent

CAMARO SPECIAL SERVICE PACKAGE

To order Camaro Special Service Package, model 1FP87 and base equipment group 1SP plus B4C must be ordered. Additional options may be added.

INTERIOR FEATURES

- AIR CONDITIONING** With Environmentally Friendly Refrigerant (R134A)
- CLOSEOUT PANEL** Cargo Compartment Area
- CONSOLE** Center, w/Cup Holders, Storage Compartment
- DEFOGGERS** Side Windows
- FLOOR COVERING** Carpeting, Full—includes cargo area, Front and Rear Mats
- GAGES** Gage Package with Tachometer and Digital Odometer
- GLASS** Tinted, Solar-Ray
- HATCH** Remote Hatch Release
- LOCKS** Power Door Locks
- MIRRORS** Rearview, Day/Night w/Dual Reading Lamps
- OUTLET** Auxiliary Power in Console
- RADIO** AM/FM Stereo w/Cassette
- RESTRAINT SYSTEM** Driver and Passenger Side Air Bags
- SCOTCHGARD™** Fabric Protector, including Seats, Door Trim and Floor Covering
- SEATS** Cloth Reclining Bucket with Integral Head Restraints and Power Seat (6-Way Driver)
- SPEAKER SYSTEM** Extended Range Speakers
- SPEED CONTROL** Electronic w/Resume Speed
- SPEEDOMETER** 155 MPH
- STEERING WHEEL** Leather Wrapped Tilt Wheel
- STORAGE BIN** Compartment in Doors
- VISORS** Covered Mirror LH & RH (with Storage Straps)
- WARNING LIGHTS** Check Gages, Low Coolant Level, Low Oil Level
- WARNING TONE** Headlamps-On
- WINDOWS** Power Windows w/Drivers Side Express Down Feature

CAMARO SPECIAL SERVICE PACKAGE

To order Camaro Special Service Package, model 1F87 and base equipment group 1SP plus B4C must be ordered. Additional options may be added.

AVAILABLE OPTIONS

- NW9** ACCELERATION SLIP REGULATION
- VK3** BRACKET-License Plate, Front
DEFOGGER-(MUST SPECIFY)
- C49** REAR WINDOW-Electric
- R9W** REAR WINDOW DEFOGGER-Not Desired
EMISSIONS-(MUST SPECIFY)
- FE9** FEDERAL EMISSION REQUIREMENTS
- K05** ENGINE BLOCK HEATER
- UL0** ELECTRONICALLY TUNED AM/FM STEREO RADIO -w/Seek-Scan, Digital Clock, Automatic Tone Control, Cassette Tape, Theft Lock and Speed Compensated Volume, 8 Speakers and Amplifier (200 Watt System)
- UNO** ELECTRONICALLY TUNED AM/FM STEREO RADIO w/Seek-Scan, Digital Clock, Automatic Tone Control, Compact Disc Player, Theft Lock and Speed Compensated Volume, 8 Speakers and Amplifier (200 Watt System)
- U15** 12 DISC CD CHANGER-(Requires UL0 Radio)
- B84** MOLDINGS-Body Side, Color-Keyed
- AUO** REMOTE KEYLESS ENTRY-w/illuminated Interior Feature includes Theft Deterrent Alarm System
- MN6** 6-SPEED MANUAL-(Includes Performance Axle)
- MX0** 4-SPEED AUTOMATIC-Electronically controlled (Base)
- N98** 16" CHROME ALUMINUM

POWERTRAIN COMBINATIONS

ENGINE		TRANSMISSION		AXLE			
OPTION	TYPE	DISPLACEMENT LITERS/CU. IN.	FUEL SYSTEM	CODE	TYPE	OPTION	RATIO
LS1	V8	5.7/350	Sequential Fuel Injection	MX0	4L60E 4-speed Auto, w/OD (Standard)	GU5	3.23 Limited Slip
LS1	V8	5.7/350	Sequential Fuel Injection	MN6	6-speed Manual, w/OD (Optional)	GU6	3.42 Limited Slip

NOTE: B4C Special Service Package is only available with Federal Emissions (FE9).

NOTE:

- Coolant hoses are EPDM (Ethylene-Propylene-Diene) rubber; silicone hoses are not available.
- Electronically controlled transmission provides protection against over-revving the engine in low range gear and a mechanical low gear blackout is not required. If a driver manually selects LOW range and fails to manually upshift to HIGH range, the Powertrain Control Module automatically protects the drivetrain.